

STONE LOOK

Mystone Silver Root



MARAZZI

Mystone Silver Root

As if sculpted by light, Mystone Silver Root transforms the strength of stone into a vibrant surface. This porcelain stoneware collection is available in White, Beige and Grey, in 60x60, 60x120, 120x120 and 90x180 sizes. The 3x3 and Prisma mosaics enrich the range, while Tecnico and 3D Ink enhance veining, material depth and precision of design. The result is a surface with strong personality, created for spaces where the floor becomes the true protagonist.



MPMC Terramater Muschio Struttura 3D Ritmo Lux 18x37cm
MPFS Mystone Silver Root Grey R10 Rt 90x180cm



MPFM Mystone Silver Root Beige R10 Rt 60x120cm
MNH2 Grande Concrete Look Cementum Ash Natural Rt 6Mm Stuoiato 160x320cm



MPFN Mystone Silver Root Grey R10 Rt 60x120cm
MNH1 Grande Concrete Look Cementum Nickel Natural Rt 6Mm Stuoiato 160x320cm
MFFS Cementum20 Nickel Rt 120x120cm



MPH2 Grande Stone Look Infinity Anthracite Satin 3D Ink Rt 6Mm 160x320cm
MPFL Mystone Silver Root White R10 Rt 120x120cm





MPFJ Mystone Silver Root Beige R10 Rt 120x120cm
MGQS Grande Concrete Look Cementum Carbon Natural Rt 120x278cm
MGDM Grande Marble Look Taj Mahal Satin Rt 6Mm 160x320cm



MPFM Mystone Silver Root Beige R10 Rt 60x120cm
MMCZ Mystone Berici20 Bianco Strutturato 60x120cm
MJWZ Grande Stone Look Berici Bianco Satin 3D Ink Rt 6Mm 160x320cm







Mystone Silver Root Index

Mystone Silver Root

- Colorbody Fine Porcelain Stoneware



Beige

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	MPFJ	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,28	36	51,84	1.125,98
60x60cm	Natural	MPG4	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	3	1,08	22,19	40	43,20	887,79
60x120cm	Natural	MPFM	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	1,44	29,45	36	51,84	1.060,34
90x180cm	Natural	MPFQ	Mystone Silver Root Beige R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	3,24	68,98	18	58,32	1.241,64



Grey

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	MPFK	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	32,21	36	51,84	1.159,47
60x60cm	Natural	MPFZ	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	3	1,08	22,20	40	43,20	887,98
60x120cm	Natural	MPFN	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	1,44	29,63	36	51,84	1.066,67
90x180cm	Natural	MPFS	Mystone Silver Root Grey R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	3,24	69,75	18	58,32	1.255,54



White

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
120x120cm	Natural	MPFL	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Slider 96	P3	>= 0.42	H	V3	1	1,44	31,54	36	51,84	1.135,60
60x60cm	Natural	MPG0	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	3	1,08	22,05	40	43,20	881,99
60x120cm	Natural	MPFP	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	1,44	29,65	36	51,84	1.067,33
90x180cm	Natural	MPFR	Mystone Silver Root White R10 Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, High Performance	R10B	> 0.40	Class 2	36+ Both Sliders	P3	>= 0.42	H	V3	2	3,24	70,57	18	58,32	1.270,31



White

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30,3x30,3cm	Natural	MPYF	Mystone Silver Root White Mosaico Prisma Rt	MM 09	•	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,37	11,00	60	22,03	659,99



Mosaico 3x3 White

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x30cm	Natural	MPNK	Mystone Silver Root White Mosaico Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,36	8,40	60	21,60	504,00




Beige

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30,3x30,3cm	Natural	MPYE	Mystone Silver Root Beige Mosaico Prisma Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,37	11,00	60	22,03	659,99




Mosaico 3x3 Beige

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x30cm	Natural	MPNL	Mystone Silver Root Beige Mosaico Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,36	8,40	60	21,60	504,00



Grey

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30,3x30,3cm	Natural	MPYG	Mystone Silver Root Grey Mosaico Prisma Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,37	11,00	60	22,03	659,99



Mosaico 3x3 Grey

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
30x30cm	Natural	MPNJ	Mystone Silver Root Grey Mosaico Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall									V3	4	0,36	8,40	60	21,60	504,00

Legend

Destinazioni d'uso

- D**
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.
- E**
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.
- F**
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.
- G**
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
- H**
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Color variations

- V0**
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour
- V1**
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run
- V2**
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run
- V3**
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
- V4**
Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications

					
ISO 14001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy
					
ISO 17889-1	Greenguard Certification	LEED Credits	QBUPEC	QBUPEC D+	FDES
					
Declare	HPD	CCC	CE 001MRZI	CE 009MRZI	UKCA 001MRZUK
					
UKCA 009MRZUK	SASO				

© Copyright by Marazzi Group S.r.l.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

Color reproduction is approximate. The tables reporting data on box contents and packaging weights are updated at the time of the catalogue printing; therefore, the listed data may be subject to change. Marazzi Group reserves the exclusive right to modify and replace, even partially, the components of the systems illustrated in this folder without prior notice.



MARAZZI